Author Index

Adachi, T., see Yoshida, S. 156

Alick, B.
—, Bridges, C., Cox, Jr., T., Earl, V. and Thedford, R.
Separation of synthetic cycloalkylated bases, nucleosides and nucleotides by reversed-phase high-performance liquid chromatography 309

Aoyama, T.
—, Kotaki, H., Saitoh, Y. and Nakagawa, F.
Determination of pemoline in plasma, urine and tissues by reversed-phase high-performance liquid chromatography 351

Azeemuddin, S.
—, Israili, Z.H. and Bharmal, F.M.
Rapid method for evaluating compliance of 6-mercaptopurine therapy in children with leukemia 163

Baltes, E.
—, Coupez, R., Brouwers, L. and Gobert, J.
Gas chromatographic method for the determination of cetirizine in plasma 149

Basta, M.T., see Brooks, J.B. 209

Bayne, W.F., see Hsieh, J.Y.-K. 175

Benet, L.Z., see Gawienowski, M. 412

Berger, Y., see Fels, J.-P. 73

Bharmal, F.M., see Azeemuddin, S. 163

Birkett, D.J., see Lelo, A. 203

Boudinot, F.D.
— and Ibrahim, S.S.
High-performance liquid chromatographic assay for piroxicam in human plasma 424

Bridges, C., see Alick, B. 309

Brooks, J.B.
—, Basta, M.T. and El Kholy, A.M.
Studies of metabolites in diarrheal stool specimens positive for *Klebsiella, Serratia,* and *Proteus* spp. by frequency-pulsed electron-capture gas chromatography 209

Brouwers, L., see Baltes, E. 149

Buchanan, M.R., see Haas, T.A. 1

Bucheli, F., see Wyss, R. 81

Candito, M.
—, Lapalus, P. and Chambon, P.
Determination of free and sulphate-conjugated 3-methoxy-4-hydroxyphenylethylene glycol in human plasma by liquid chromatography with electrochemical detection 198

Cautreels, W., see Fels, J.-P. 73

Chai, B.
—, Minkler, P.E. and Hoppel, C.L.
Determination of ibuprofen and its major metabolites in human urine by high-performance liquid chromatography 93

Chambon, P., see Candito, M. 198

Chao, W.-F.
—, Kai, M. and Ohkura, Y.
High-performance liquid chromatographic determination of forphenicine in mouse serum and muscle by pre-column fluorescence derivatization using 1,2-diamino-4,5-ethylenedioxybenzene as fluorogenic reagent 361

Coupez, R., see Baltes, E. 149

Cox, Jr., T., see Alick, B. 309

Crosby, S.S., see Unadkat, J.D. 420

DasGupta, B.R., see Woody, M.A. 279

Davoudi, H., see Szabo, G.K. 112

DeVane, C.L., see Miller, R.L. 180

Dubé, L.M.
—, Mousseau, N. and McGilveray, I.J.
High-performance liquid chromatographic determination of diltiazem and four of its metabolites in plasma: evaluation of their stability 103

Duke, C.C.
— and Holder, G.M.
endo-1,4,5,6,7,7-Hexachlorobicyclo[2.2.1]-hept-5-ene-2-carboxylic acid, a superior resolving agent for the high-performance liquid chromatographic separation of enantiomers of hydroxylated derivatives of two azaaromatic hydrocarbons 53

Durso, R., see Szabo, G.K. 112

Earl, V., see Alick, B. 309

Eichinger, K., see Kienzl, E. 263

El Kholy, A.M., see Brooks, J.B. 209

Endert, E., see Van Ingen, H.E. 233

Feige, M., see Terlinden, R. 438

Fels, J.-P.
—, Guyonnet, J., Berger, Y. and Cautreels, W.
Determination of (4-chlorophenyl)-thiomethylene bisphosphonic acid, a new bisphosphonate, in biological fluids by high-performance liquid chromatography 73

Filipek, M.
—, Pączkowski, D. and Podleśny, J.
High-performance liquid chromatographic method for the determination of *p*-hydroxylated and hydroxymethylated metabolites of mexiletine in human serum 406

Fleckenstein, L., see Gawienowski, M. 412
Fölsch, U.R., see Löser, C. 249
Fourtillan, J.B., see Mignot, A. 192
Fukunaga, Y., see Okamoto, T. 11
Garty, M.
—, Steinmetz, Y., Rosenfeld, J.B. and Goldstein, D.S.
Species-dependent differences in recovery of 3,4-dihydroxybenzylamine in assays of plasma catecholamines 123
Gawienowski, M.
—, Benet, L.Z., Fleckenstein, L. and Lin, E.T.
Ion-paired liquid chromatographic method for the analysis of blood and plasma for the antimalarial drug halofantrine and its putative mono-debutylated metabolite 412
Gobert, J., see Baltes, E. 149
Goldstein, D.S., see Garty, M. 123
Graham, G., see Rauch, K. 170
Guyonnet, J., see Fels, J.-P. 73
Haas, T.A.
— and Buchanan, M.R.
Automated high-performance liquid chromatographic extraction and quantification procedure for lipoxygenase metabolites 1
Hara, I., see Okazaki, M. 135
Haughey, D.B.
— and Jusko, W.J.
Analysis of methylprednisolone, methylprednisone and corticosterone for assessment of methylprednisolone disposition in the rat 241
Healey, M.C., see Hwang, H.H. 329
Hertel, C.C., see Unadkat, J.D. 420
Hiraike, H.
—, Kimura, M. and Itokawa, Y.
Determination of K vitamins (phylloquinone and menaquinones) in umbilical cord plasma by a platinum-reduction column 143
Hirauchi, K.
—, Sakano, T., Nagaoka, T. and Morimoto, A.
Simultaneous determination of vitamin K_1, vitamin K_1 2,3-epoxide and menaquinone-4 in human plasma by high-performance liquid chromatography with fluorimetric detection 21
Hirose, S., see Yoshida, S. 156
Högland, U.
Use of perfluorated carboxylic acids in the separation of metabolites of vasopressin prior to radioimmunoassay 128
Hogan, T.F., see Mehta, R.C. 341
Holder, G.M., see Duke, C.C. 53
Hoppel, C.L., see Chai, B. 93
Hsieh, J.Y.-K.
—, Thornton, T.J. and Bayne, W.F.
High-performance liquid chromatographic determination of enprofylline in human plasma 175
Hwang, H.H.
—, Healey, M.C. and Johnson, A.C.
Purification of ascitic fluid-derived murine monoclonal antibodies by anion-exchange and size-exclusion high-performance liquid chromatography 329
Ibrahim, S.S., see Boudinot, F.D. 424
Ida, Y., see Okamoto, T. 11
Ingen, H.E. van, see Van Ingen, H.E. 233
Ishibashi, K., see Terada, T. 388
Ishida, J., see Kai, M. 271
Israili, Z.H., see Azeemuddin, S. 163
Itokawa, Y., see Hiraike, H. 143
Iwai, K., see Shibata, K. 381
Joel, S.P.
—, Osborne, R.J. and Slevin, M.L.
An improved method for the simultaneous determination of morphine and its principal glucuronide metabolites 394
Johnston, A.C., see Hwang, H.H. 329
Joyce, D.A.
— and Wade, D.N.
Assay for D-penicillamine–protein conjugate in human plasma utilising chemical reduction followed by high-performance liquid chromatography with gold/mercury electrochemical detection 319
Junker, A., see Sturm, E. 43
Jusko, W.J., see Haughey, D.B. 241
Kai, M., see Chao, W.-F. 361
—, Ishida, J. and Ohkura, Y.
High-performance liquid chromatographic determination of leucine-enkephalin-like peptide in rat brain by pre-column fluorescence derivatization involving formylation followed by reaction with 1,2-diamino-4,5-dimethoxybenzene 271
—, see Ohno, M. 291
Kawada, T., see Shibata, K. 381
Kienzl, E.
— and Eichinger, K.
Preparation of dopamine 3-O-sulphate and dopamine 4-O-sulphate as reference substances and high-performance liquid chromatographic trace determination 263
Kimura, M., see Hiraike, H. 143
Kinoshita, M., see Okazaki, M. 135

Kinoshita, T., see Kobayashi, Y. 65
Kishi, T., see Okamoto, T. 11
Kobayashi, Y.
—, Kubo, H., Kinoshita, T. and Nishikawa, T.
Fluorometric determination of biguanides in serum by high-performance liquid chromatography with reagent-containing mobile phase 65
Kotaki, H., see Aoyama, T. 351
Kubo, H., see Kobayashi, Y. 65
Lalande, M.
—, Mills, P. and Peterson, R.G.
Determination of dantrolene and its reduced and oxidized metabolites in plasma by high-performance liquid chromatography 187
Lapalus, P., see Candito, M. 198
Lefebvre, M.A., see Mignot, A. 192
Lelo, A.
—, Birkett, D.J. and Miners, J.O.
Radiometric high-performance liquid chromatographic procedure for the determination of theobromine metabolites in microsomal incubations 203
Lin, E.T., see Gawienowski, M. 412
Löser, C.
—, Wunderlich, U. and Fölsch, U.R.
Reversed-phase liquid chromatographic separation and simultaneous fluorimetric detection of polyamines and their monoacetyl derivatives in human and animal urine, serum and tissue samples: an improved, rapid and sensitive method for routine application 249
Ma, J.K.H., see Mehta, R.C. 341
McGilveray, I.J., see Dubé, L.M. 103
Mardmomen, S., see Mehta, R.C. 341
Maurer, H.
— and Pfleger, K.
Identification and differentiation of alkylamine antihistamines and their metabolites in urine by computerized gas chromatography–mass spectrometry 31
Mehta, R.C.
—, Hogan, T.F., Mardmomen, S. and Ma, J.K.H.
Chromatographic studies in mitomycin C degradation in albumin microspheres 341
Mignot, A.
—, Lefebvre, M.A. and Fourtillan, J.B.
High-performance liquid chromatographic determination of ofloxacin in plasma and urine 192
Miller, R.L.
— and DeVane, C.L.
Alprazolam, α-hydroxy- and 4-hydroxyalprazolam analysis in plasma by high-performance liquid chromatography 180
Mills, P., see Lalande, M. 187
Miners, J.O., see Lelo, A. 203
Minkler, P.E., see Chai, B. 93
Mita, H.
—, Yui, Y., Yasueda, H. and Shida, T.
Isocratic determination of arachidonic acid 5-lipoxygenase products in human neutrophils by high-performance liquid chromatography 299
Morimoto, A., see Hirauchi, K. 21
Mousseau, N., see Dubé, L.M. 103
Nagaoka, T., see Hirauchi, K. 21
Nakagawa, F., see Aoyama, T. 351
Nishikawa, T., see Kobayashi, Y. 65
Noguchi, H., see Terada, T. 388
Ohkura, Y., see Chao, W.-F. 361
—, see Kai, M. 271
—, see Ohno, M. 291
—, see Wang, Z.-J. 223
Ohno, M.
—, Kai, M. and Ohkura, Y.
Assay for enkephalin-degrading peptidases in rat brain tissues by high-performance liquid chromatography with on-line post-column fluorescence detection 291
Okamoto, T.
—, Fukunaga, Y., Ida, Y. and Kishi, T.
Determination of reduced and total ubiquinones in biological materials by liquid chromatography with electrochemical detection 11
Okazaki, M.
—, Knoshita, M. and Hara, I.
Improved high-performance liquid chromatographic method for the determination of apolipoproteins in serum high-density lipoproteins 135
Onodera, M., see Shibata, K. 381
Osborne, R.J., see Joel, S.P. 394
Pączkowski, D., see Filipek, M. 406
Peterson, R.G., see Lalande, M. 187
Pfleger, K., see Maurer, H. 31
Podleśny, J., see Filipek, M. 406
Rauch, K.
—, Ray, J. and Graham, G.
Improved high-performance liquid chromatographic method for the determination of quinine in plasma 170
Ray, J., see Rauch, K. 170

Römer, A., see Terlinden, R. 438
Rosenfeld, J.B., see Garty, M. 123
Saitoh, Y., see Aoyama, T. 351
Sakano, T., see Hirauchi, K. 21
Sakata, C., see Terada, T. 388
Semba, J.-I.
—, Watanabe, A. and Takahashi, R.
Determination of plasma homovanillic acid by two-step solid-phase extraction and high-performance liquid chromatography with electrochemical detection 118
Shibata, K.
Fluorimetric micro-determination of kynurenic acid, an endogenous blocker of neurotoxicity, by high-performance liquid chromatography 376
—, Onodera, M., Kawada, T. and Iwai, K.
Simultaneous micro-determination of serotonin and 5-hydroxyindole-3-acetic acid with 5-hydroxy-N_{ω}-methyltryptamine, as an internal standard, in biological materials by high-performance liquid chromatography with electrochemical detection 381
Shida, T., see Mita, H. 299
Slevin, M.L., see Joel, S.P. 394
Sørensen, H.
Liquid chromatographic determination of fusidic acid in serum 400
Spahn, H.
Assay method for product formation in in vitro enzyme kinetic studies of uridine diphosphate glucuronyltransferases: 2-arylpropionic acid enantiomers 368
Steinmetz, Y., see Garty, M. 123
Sturm, E.
— and Junker, A.
Determination of telenzepine in human serum by gas chromatography–mass spectrometry 43
Szabo, G.K.
—, Davoudi, H. and Durso, R.
High-performance liquid chromatographic method for measuring homovanillic acid in cerebrospinal fluid using electrochemical detection with internal standardization 112
Takahashi, R., see Semba, J.-I. 118
Terada, T.
—, Sakata, C., Ishibashi, K., Tsuchiya, T. and Noguchi, H.
Determination of the anti-anginal drug 6-chloro-2-pyridylmethyl nitrate in plasma and urine by fused-silica open-tubular column gas chromatography with electron-capture detection 388
Terlinden, R.
—, Feige, M. and Römer, A.
Determination of the two major metabolites of ebselen in human plasma by high-performance liquid chromatography 438
Thedford, R., see Alick, B. 309
Thornton, T.J., see Hsieh, Y.Y.-K. 175
Tsuchiya, T., see Terada, T. 388
Unadkat, J.D.
—, Crosby, S.S., Wang, J.P. and Hertel, C.C.
Simple and rapid high-performance liquid chromatographic assay for zidovudine (azidothymidine) in plasma and urine 420
Van Ingen, H.E.
— and Endert, E.
Improved method for the determination of the cortisol production rate using high-performance liquid chromatography and liquid scintillation counting 233
Wade, D.N., see Joyce, D.A. 319
Walton, M.I.
— and Workman, P.
High performance liquid chromatographic assay for the benzotriazine di-N-oxide (SR 4233) and its reduced metabolites in biological materials 429
Wang, J.P., see Unadkat, J.D. 420
Wang, Z.-J.
—, Zaitsu, K. and Ohkura, Y.
High-performance liquid chromatographic determination of α-keto acids in human serum and urine using 1,2-diamino-4,5-methylenedioxybenzene as a precolumn fluorescence derivatization reagent 223
Watanabe, A., see Semba, J.-I. 118
Woody, M.A.
— and DasGupta, B.R.
Fast protein liquid chromatography of botulinum neurotoxin types A, B and E 279
Workman, P., see Walton, M.I. 429
Wunderlich, U., see Löser, C. 249
Wyss, R.
— and Bucheli, F.
Determination of cefetamet and its orally active ester, cefetamet pivoxyl, in biological fluids by high-performance liquid chromatography 81
Yasueda, H., see Mita, H. 299
Yoshida, S.
—, Adachi, T. and Hirose, S.
4-Bromomethyl-6,7-dimethoxycoumarin as a fluorescence reagent for precolumn derivatization of 5-fluorouracil compounds in high-performance liquid chromatography 156
Yui, Y., see Mita, H. 299
Zaitsu, K., see Wang, Z.-J. 223

Subject Index

Albumin
Chromatographic studies of mitomycin C degradation in albumin microspheres 341
Alkylamine antihistamines
Identification and differentiation of alkylamine antihistamines and their metabolites in urine by computerized GC–MS 31
Alprazolam
Alprazolam, α-hydroxy- and 4-hydroxyalprazolam analysis in plasma by HPLC 180
3-Amino-1,2,4-benzotriazine
HPLC assay for the benzotriazine di-N-oxide (SR 4233) and its reduced metabolites in biological materials 429
3-Amino-1,2,4-benzotriazine-1,4-dioxide
HPLC assay for the benzotriazine di-N-oxide (SR 4233) and its reduced metabolites in biological materials 429
3-Amino-1,2,4-benzotriazine-1-oxide
HPLC assay for the benzotriazine di-N-oxide (SR 4233) and its reduced metabolites in biological materials 429
Aminodantrolene
Determination of dantrolene and its reduced and oxidized metabolites in plasma by HPLC 187
Antihistamines
Identification and differentiation of alkylamine antihistamines and their metabolites in urine by computerized GC–MS 31
Apolipoproteins
Improved HPLC method for the determination of apolipoproteins in serum high-density lipoproteins 135
Arachidonic acid 5-lipoxygenase
Isocratic determination of arachidonic acid 5-lipoxygenase products in human neutrophils by HPLC 299
2-Arylpropionic acid enantiomers
Assay method for product formation in in vitro enzyme kinetic studies of uridine diphosphate glucuronyltransferases: 2-arylpropionic acid enantiomers 368
Azaaromatic hydrocarbons, hydroxylated derivatives
endo-1,4,5,6,7,7-Hexachlorobicyclo[2.2.1]-hept-5-ene-2-carboxylic acid, a superior resolving agent for the HPLC separation of enantiomers of hydroxylated derivatives of two azaaromatic hydrocarbons 53
Azidothymidine
Simple and rapid HPLC assay for zidovudine (azidothymidine) in plasma and urine 420
Benzotriazine di-N-oxide
HPLC assay for the benzotriazine di-N-oxide (SR 4233) and its reduced metabolites in biological materials 429
Biguanides
Fluorometric determination of biguanides in serum by HPLC with reagent-containing mobile phase 65
Bisphosphonate
Determination of (4-chlorophenyl)thiomethylene bisphosphonic acid, a new bisphosphonate, in biological fluids by HPLC 73
Botulinum neurotoxins
Fast protein LC of botulinum neurotoxin types A, B and E 279
4-Bromomethyl-6,7-dimethoxycoumarin
4-Bromomethyl-6,7-dimethoxycoumarin as a fluorescence reagent for precolumn derivatization of 5-fluorouracil compounds in HPLC 156
Buformin
Fluorometric determination of biguanides in serum by HPLC with reagent-containing mobile phase 65
Cadaverine
Reversed-phase LC separation and simultaneous fluorimetric detection of polyamines and their monoacetyl derivatives in human and animal urine, serum and tissue samples: an improved, rapid and sensitive method for routine application 249
Carboxylic acids, perfluorated
Use of perfluorated carboxylic acids in the separation of metabolites of vasopressin prior to radioimmunoassay 128
2-[4-(2-Carboxypropyl)phenyl]propionic acid
Determination of ibuprofen and its a major metabolites in human urine by HPLC 93
Catecholamines
Species-dependent differences in recovery of 3,4-dihydroxybenzylamine in assays of plasma catecholamines 123
Cefetamet
Determination of cefetamet and its orally active ester, cefetamet pivoxyl, in biological fluids by HPLC 81

Cefetamet pivoxyl
Determination of cefetamet and its orally active ester, cefetamet pivoxyl, in biological fluids by HPLC 81
Cetirizine
GC method for the determination of cetirizine in plasma 149
(4-Chlorophenyl)thiomethylene bisphosphonic acid
Determination of (4-chlorophenyl)-thiomethylene bisphosphonic acid, a new bisphosphonate, in biological fluids by HPLC 73
6-Chloro-2-pyridylmethyl nitrate
Determination of the anti-anginal drug 6-chloro-2-pyridylmethyl nitrate in plasma and urine by fused-silica open-tubular column GC with electron-capture detection 388
Corticosteroids
Improved method for the determination of the cortisol production rate using HPLC and liquid scintillation counting 233
Corticosterone
Analysis of methylprednisolone, methylprednisone and corticosterone for assessment of methylprednisolone disposition in the rat 241
Cortisol
Improved method for the determination of the cortisol production rate using HPLC and liquid scintillation counting 233
Cycloalkylated bases
Separation of synthetic cycloalkylated bases, nucleosides and nucleotides by reversed-phase HPLC 309
Dantrolene
Determination of dantrolene and its reduced and oxidized metabolites in plasma by HPLC 187
Deacetyl-N,O-demethyldiltiazem
HPLC determination of diltiazem and four of its metabolites in plasma: evaluation of their stability 103
Deacetyl-O-demethyldiltiazem
HPLC determination of diltiazem and four of its metabolites in plasma: evaluation of their stability 103
Deacetyldiltiazem
HPLC determination of diltiazem and four of its metabolites in plasma: evaluation of their stability 103
Deacetyl-N-monodesmethyldiltiazem
HPLC determination of diltiazem and four of its metabolites in plasma: evaluation of their stability 103
1,2-Diamino-4,5-methylenedioxybenzene
HPLC determination of α-keto acids in human serum and urine using 1,2-diamino-4,5-methylenedioxybenzene as a precolumn fluorescence derivatization reagent 223
Diarrheal stools
Studies of metabolites in diarrheal stool specimens positive for *Klebsiella, Serratia,* and *Proteus* spp. by frequency-pulsed electron-capture GC 209
Dibenz[a,j]acridine
endo-1,4,5,6,7,7-Hexachlorobicyclo[2.2.1]-hept-5-ene-2-carboxylic acid, a superior resolving agent for the HPLC separation of enantiomers of hydroxylated derivatives of two azaaromatic hydrocarbons 53
Dihydroxybenzylamine
Species-dependent differences in recovery of 3,4-dihydroxybenzylamine in assays of plasma catecholamines 123
Diltiazem
HPLC determination of diltiazem and four of its metabolites in plasma: evaluation of their stability 103
3,7-Dimethylxanthine
Radiometric HPLC procedure for the determination of theobromine metabolites in microsomal incubations 203
Dopamine sulphates
Preparation of dopamine 3-O-sulphate and dopamine 4-O-sulphate as reference substances and HPLC trace determination 263
Ebselen
Determination of the two major metabolites of ebselen in human plasma by HPLC 438
Enkephalin
HPLC determination of leucine-enkephalin-like peptide in rat brain by pre-column fluorescence derivatization involving formylation followed by reaction with 1,2-diamino-4,5-dimethoxybenzene 271
Enkephalin
Assay for enkephalin-degrading peptidases in rat brain tissues by HPLC with on-line post-column fluorescence detection 291
Enkephalinase
Assay for enkephalin-degrading peptidases in rat brain tissues by HPLC with on-line post-column fluorescence detection 291

Enprofylline
HPLC determination of enprofylline in human plasma 175
Enzymes
Automated HPLC extraction and quantification procedure for lipoxygenase metabolites 1
Enzymes
Assay for enkephalin-degrading peptidases in rat brain tissues by HPLC with on-line post-column fluorescence detection 291
Enzymes
Isocratic determination of arachidonic acid 5-lipoxygenase products in human neutrophils by HPLC 299
Enzymes
Assay method for product formation in in vitro enzyme kinetic studies of uridine diphosphate glucuronyltransferases: 2-arylpropionic acid enantiomers 368
5-Fluorouracil
4-Bromomethyl-6,7-dimethoxycoumarin as a fluorescence reagent for precolumn derivatization of 5-fluorouracil compounds in HPLC 156
Forphenicine
HPLC determination of forphenicine in mouse serum and muscle by pre-column fluorescence derivatization using 1,2-diamino-4,5-ethylenedioxybenzene as fluorogenic reagent 361
Fusidic acid
LC determination of fusidic acid in serum 400
Halofantrine
Ion-paired LC method for the analysis of blood and plasma for the antimalarial drug halofantrine and its putative mono-debutylated metabolite 412
endo-1,4,5,6,7,7-Hexachlorobicyclo[2.2.1]-hept-5-ene-2-carboxylic acid
endo-1,4,5,6,7,7-Hexachlorobicyclo[2.2.1]-hept-5-ene-2-carboxylic acid, a superior resolving agent for the HPLC separation of enantiomers of hydroxylated derivatives of two azaaromatic hydrocarbons 53
High-density lipoproteins
Improved HPLC method for the determination of apolipoproteins in serum high-density lipoproteins 135
Homovanillic acid
HPLC method for measuring homovanillic acid in cerebrospinal fluid using electrochemical detection with internal standardization 112
Homovanillic acid
Determination of plasma homovanillic acid by two-step solid-phase extraction and HPLC with electrochemical detection 118
Hydroxyalprazolams
Alprazolam, α-hydroxy- and 4-hydroxyalprazolam analysis in plasma by HPLC 180
5-Hydroxydantrolene
Determination of dantrolene and its reduced and oxidized metabolites in plasma by HPLC 187
Hydroxyeicosatetraenoic acids
Automated HPLC extraction and quantification procedure for lipoxygenase metabolites 1
Hydroxyeicosatetraenoic acids
Isocratic determination of arachidonic acid 5-lipoxygenase products in human neutrophils by HPLC 299
5-Hydroxyindole-3-acetic acid
Simultaneous micro-determination of serotonin and 5-hydroxyindole-3-acetic acid with 5-hydroxy-N_ω-methyltryptamine, as an internal standard, in biological materials by HPLC with electrochemical detection 381
Hydroxymethylmexiletine
HPLC method for the determination of *p*-hydroxylated and hydroxymethylated metabolites of mexiletine in human serum 406
2-[4-(2-Hydroxy-2-methylpropyl)phenyl]-propionic acid
Determination of ibuprofen and its major metabolites in human urine by HPLC 93
p-Hydroxymexiletine
HPLC method for the determination of *p*-hydroxylated and hydroxymethylated metabolites of mexiletine in human serum 406
Ibuprofen
Determination of ibuprofen and its major metabolites in human urine by HPLC 93
Immunoglobulins
Purification of ascitic fluid-derived murine monoclonal antibodies by anion-exchange and size-exclusion HPLC 329
α-Keto acids
HPLC determination of α-keto acids in human serum and urine using 1,2-diamino-4,5-methylenedioxybenzene as a precolumn fluorescence derivatization reagent 223

Klebsiella spp.
Studies of metabolites in diarrheal stool specimens positive for *Klebsiella, Serratia,* and *Proteus* spp. by frequency-pulsed electron-capture GC 209
Kynurenic acid
Fluorimetric micro-determination of kynurenic acid, an endogenous blocker of neurotoxicity, by HPLC 376
Leucine-enkephalin
HPLC determination of leucine-enkephalin-like peptide in rat brain by pre-column fluorescence derivatization involving formylation followed by reaction with 1,2-diamino-4,5-dimethoxybenzene 271
Leucine-enkephalin
Assay for enkephalin-degrading peptidases in rat brain tissues by HPLC with on-line post-column fluorescence detection 291
Leukotriene B_4
Isocratic determination of arachidonic acid 5-lipoxygenase products in human neutrophils by HPLC 299
Leukotrienes
Automated HPLC extraction and quantification procedure for lipoxygenase metabolites 1
Lipoproteins
Improved HPLC method for the determination of apolipoproteins in serum high-sensity lipoproteins 135
Lipoxygenase metabolites
Automated HPLC extraction and quantification procedure for lipoxygenase metabolites 1
Menaquinone-4
Simultaneous determination of vitamin K_1, vitamin K_1 2,3-epoxide and menaquinone-4 in human plasma by HPLC with fluorimetric detection 21
Menaquinones
Determination of K vitamins (phylloquinone and menaquinones) in umbilical cord plasma by a platinum-reduction column 143
6-Mercaptopurine
Rapid method for evaluating compliance of 6-mercaptopurine therapy in children with leukemia 163
Methionine-enkephalin
Assay for enkephalin-degrading peptidases in rat brain tissues by HPLC with on-line post-column fluorescence detection 291
3-Methoxy-4-hydroxyphenylethylene glycol
Determination of free and sulphate-conjugated 3-methoxy-4-hydroxyphenylethylene glycol in human plasma by LC with electrochemical detection 198
7-Methylbenz[c]acridine
endo-1,4,5,6,7,7-Hexachlorobicyclo[2.2.1]-hept-5-ene-2-carboxylic acid, a superior resolving agent for the HPLC separation of enantiomers of hydroxylated derivatives of two azaaromatic hydrocarbons 53
Methylprednisolone
Analysis of methylprednisolone, methylprednisone and corticosterone for assessment of methylprednisolone disposition in the rat 241
Methylprednisone
Analysis of methylprednisolone, methylprednisone and corticosterone for assessment of methylprednisolone disposition in the rat 241
Mexiletine
HPLC method for the determination of *p*-hydroxylated and hydroxymethylated metabolites of mexiletine in human serum 406
Mitomycin C
Chromatographic studies of mitomycin C degradation in albumin microspheres 341
Monoclonal antibodies
Purification of ascitic fluid-derived murine monoclonal antibodies by anion-exchange and size-exclusion HPLC 329
N-Monodesmethyldiltiazem
HPLC determination of diltiazem and four of its metabolites in plasma: evaluation of their stability 103
Morphine
An improved method for the simultaneous determination of morphine and its principal glucuronide metabolites 394
Morphine glucuronides
An improved method for the simultaneous determination of morphine and its principal glucuronide metabolites 394
Murine monoclonal antibodies
Purification of ascitic fluid-derived murine monoclonal antibodies by anion-exchange and size-exclusion HPLC 329
Neurotoxins
Fast protein LC of botulinum neurotoxin types A, B and E 279
Normorphine
An improved method for the simultaneous determination of morphine and its principal glucuronide metabolites 394

Nucleobases
Separation of synthetic cycloalkylated bases, nucleosides and nucleotides by reversed-phase HPLC 309
Nucleosides
Separation of synthetic cycloalkylated bases, nucleosides and nucleotides by reversed-phase HPLC 309
Nucleotides
Separation of synthetic cycloalkylated bases, nucleosides and nucleotides by reversed-phase HPLC 309
Ofloxacin
HPLC determination of ofloxacin in plasma and urine 192
Pemoline
Determination of pemoline in plasma, urine and tissues by reversed-phase HPLC 351
D-Penicillamine–protein conjugate
Assay for D-penicillamine–protein conjugate in human plasma utilising chemical reduction followed by HPLC with gold/mercury electrochemical detection 319
Peptidases
Assay for enkephalin-degrading peptidases in rat brain tissues by HPLC with on-line post-column fluorescence detection 291
Peptides
HPLC determination of leucine-enkephalin-like peptide in rat brain by pre-column fluorescence derivatization involving formylation followed by reaction with 1,2-diamino-4,5-dimethoxybenzene 271
Phenformin
Fluorometric determination of biguanides in serum by HPLC with reagent-containing mobile phase 65
Phylloquinone
Determination of K vitamins (phylloquinone and menaquinones) in umbilical cord plasma by a platinum-reduction column 143
Piroxicam
HPLC assay for piroxicam in human plasma 424
Polyamines
Reversed-phase LC separation and simultaneous fluorimetric detection of polyamines and their monoacetyl derivatives in human and animal urine, serum and tissue samples: an improved, rapid and sensitive method for routine application 249
Prostaglandin B_2
Automated HPLC extraction and quantification procedure for lipoxygenase metabolites 1
Proteus spp.
Studies of metabolites in diarrheal stool specimens positive for *Klebsiella, Serratia,* and *Proteus* spp. by frequency-pulsed electron-capture GC 209
Putrescine
Reversed-phase LC separation and simultaneous fluorimetric detection of polyamines and their monoacetyl derivatives in human and animal urine, serum and tissue samples: an improved, rapid and sensitive method for routine application 249
Quinine
Improved HPLC method for the determination of quinine in plasma 170
Serotonin
Simultaneous micro-determination of serotonin and 5-hydroxyindole-3-acetic acid with 5-hydroxy-N_ω-methyltryptamine, as an internal standard, in biological materials by HPLC with electrochemical detection 381
Serrata spp.
Studies of metabolites in diarrheal stool specimens positive for *Klebsiella, Serratia,* and *Proteus* spp. by frequency-pulsed electron-capture GC 209
Spermidine
Reversed-phase LC separation and simultaneous fluorimetric detection of polyamines and their monoacetyl derivatives in human and animal urine, serum and tissue samples: an improved, rapid and sensitive method for routine application 249
Spermine
Reversed-phase LC separation and simultaneous fluorimetric detection of polyamines and their monoacetyl derivatives in human and animal urine, serum and tissue samples: an improved, rapid and sensitive method for routine application 249
SR 4233
HPLC assay for the benzotriazine di-N-oxide (SR 4233) and its reduced metabolites in biological materials 429
Steroids
Improved method for the determination of the cortisol production rate using HPLC and liquid scintillation counting 233
Steroids
Analysis of methylprednisolone, methyl-

prednisone and corticosterone for assessment of methylprednisolone disposition in the rat 241
Telenzepine
Determination of telenzepine in human serum by GC–MS 43
Theobromine
Radiometric HPLC procedure for the determination of theobromine metabolites in microsomal incubations 203
Ubiquinol
Determination of reduced and total ubiquinones in biological materials by LC with electrochemical detection 11
Ubiquinones
Determination of reduced and total ubiquinones in biological materials by LC with electrochemical detection 11
Uridine diphosphate glucuronyltransferases
Assay method for product formation in in vitro enzyme kinetic studies of uridine diphosphate glucuronyltransferases: 2-arylpropionic acid enantiomers 368
Vasopressin
Use of perfluorated carboxylic acids in the separation of metabolites of vasopressin prior to radioimmunoassay 128
Vitamin K
Determination of K vitamins (phylloquinone and menaquinones) in umbilical cord plasma by a platinum-reduction column 143
Vitamin K_1
Simultaneous determination of vitamin K_1, vitamin K_1 2,3-epoxide and menaquinone-4 in human plasma by HPLC with fluorimetric detection 21
Vitamin K_1 2,3-epoxide
Simultaneous determination of vitamin K_1, vitamin K_1 2,3-epoxide and menaquinone-4 in human plasma by HPLC with fluorimetric detection 21
Zidovudine
Simple and rapid HPLC assay for zidovudine (azidothymidine) in plasma and urine 420